

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	correlat\$4 near matrix near memory and superimpos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:45
L2	3	correlat\$4 near matrix near memory with stor\$4 and superimpos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:45
L3	0	correlat\$4 near matrix near memory with stor\$4 and superimpos\$4 and cmm	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:46
L4	3	correlat\$4 near matrix near memory with stor\$4 and superimpos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:53
L5	8	correlat\$4 near matrix near memory with stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:53
L7	0	correlat\$4 near matrix near memory with stor\$4 and superimpos\$4 with input\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:53
L8	7	correlat\$4 near matrix near memory with stor\$4 and input\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:58
L9	0	correlat\$4 near matrix near memory with stor\$4 and input\$4 with super\$impos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:54
L10	0	correlat\$4 near matrix near memory with stor\$4 and input\$4 with (put\$4 plac\$4) near over	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:55
L11	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4) with (put\$4 plac\$4 enter\$4) near over	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:55
L12	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4) with (put\$4 plac\$4 enter\$4) near (on\$top over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:56

L13	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4) with (drop\$4 put\$4 plac\$4 enter\$4) near (on\$stop over)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:56
L14	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4) with over near (lay laid)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 10:56
L15	7	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:04
L16	3	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4) and super\$impos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:00
L17	5	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4) and separat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 13:11
L18	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4) and separator	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:04
L19	461	super\$impos\$4 and tensor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:16
L20	210	super\$impos\$4 and tensor\$4 and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:16
L21	25	super\$impos\$4 and tensor\$4 and correlat\$4 with matrix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:23
L22	1	super\$impos\$4 and tensor\$4 and correlat\$4 with matrix with memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:18
L23	42	super\$impos\$4 and correlat\$4 with matrix with memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:31
L24	21	super\$impos\$4 and correlat\$4 with matrix with memory and vector\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:26

L25	0	super\$impos\$4 and tupl\$4 with tensor\$4 and correlat\$4 with matrix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:23
L26	0	super\$impos\$4 and tupl\$4 with tensor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:24
L27	0	super\$impos\$4 and tuple with tensor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:24
L28	9	tuple with tensor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:24
L29	9	tupl\$4 with tensor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:24
L30	1	tupl\$4 with tensor\$4 and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:24
L31	1	tupl\$4 with tensor\$4 and correlat\$4 with matrix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:25
L32	0	tupl\$4 with tensor\$4 and correlat\$4 with matrix with memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:25
L33	0	tupl\$4 with tensor\$4 and correlat\$4 with matrix with stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:25
L34	21	super\$impos\$4 and correlat\$4 with matrix with memory and (tensor\$4 vector\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:30
L35	0	super\$impos\$4 and correlat\$4 with matrix with memory and (tensor\$4 vector\$4) and "707"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:30
L36	2	super\$impos\$4 and correlat\$4 with matrix with memory and "707"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 11:31

L37	0	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4) and separat\$4 with binary	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 13:11
L38	2	correlat\$4 near matrix near memory with stor\$4 and (enter\$4 input\$4 plac\$4) and separat\$4 same binary	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/26 13:11